

AthleticFootwearforFirefighters


Globe FootGear is part of the Globe family of brands

Globe Manfacturing

37 Loudon Road, Pittsfield, NH 03263 Tel: 800-232-8323 603-435-8323 Fax: 800-442-6388 603-435-6388 info@globefiresuits.com globefootgear.com



Globe FootGear is the Official Footwear Sponsor of the Firefighter Combat Challenge.



Check out globefootgear.com to get all the latest information.

Sizes

All Globe FootGear styles are available in: **Men's:** 5 – 12.5 (full and half sizes) and 13 – 15 (full sizes only) in Medium, Wide, and X-Wide widths.

Women's: 5 – 10 (full and half sizes) in Medium, Wide, and X-Wide widths.

SUPREME and SHADOW also available in sizes 16 and 17 as well as in a wide calf model in all sizes.

Factory Resoling Service

Boots may be resoled at the factory with new outsoles. Please contact Globe Customer Service (1-800-232-8323) for details.

GLOBE FOOTGEAR products meet or exceed NFPA and OSHA standards including as applicable NFPA 1971: Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting, NFPA 1992: Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies, NFPA 1951: Standard on Protective Ensembles for Technical Rescue Incidents, NFPA 1977: Standard on Protective Clothing and Equipment for Wildland Fire Fighting, and NFPA 1999: Standard on Protective Clothing for Emergency Medical Operations.

To the best of our knowledge, the information contained herein is accurate. However, Globe Footwear, LLC assumes no liability whatsoever for the accuracy or completeness of the information contained herein. Users of any products must satisfy themselves by independent investigation that the material can be used safely. We have described certain hazards, but we cannot guarantee that these are the only hazards.

CROSSTECH®, GORE®, and designs are trademarks of W.L. Gore & Associates, Inc. GLOBE, GLOBE FOOTGEAR, SUPREME, SHADOW, HEELPORT and designs are trademarks of Globe Holding Company, LLC. DUPONT™, NOMEX®, KEVLAR®, CAMBRELLE® and designs are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates. LENZI is a trademark of Lenzi Egisto S.p.A. 3M® and SCOTCHLITE® are trademarks of 3M Company. VIBRAM® and design are registered trademarks of Vibram S.p.A. PORON®, XRD™ and designs are trademarks or registered trademarks of Rogers Corporation.

GLOBE FOOTGEAR products are sold by Globe Footwear, LLC. © 2010 Globe Holding Company, LLC. Details and specifications are subject to change without notice. Printed in USA. 8/10



Athletic Footwear for Firefight


Better grip. Better flex. Less work.

STRUCTURAL



Built with CROSSTECH[®] footwear fabric for performance unmatched by any other waterproof, breathable barrier.





GOTAPPEPROBLEM?

"My feet aren't bad. I'm thinking it's my boots."

Find the Globe Solution to your PPE problem at globeisthesolution.com

SAYGOODBYETOHEAVY,STIFF,MILITARY-CONSTRUCTIONBOOTSFOREVER-GLOBE FOOTGEARISHERE.REMARKABLYFLEXIBLEWITHAUNIQUECUSHIONEDAND CONTOUREDSOLEANDCUSTOMFITSYSTEM,GLOBEFOOTGEARFITSBETTER,GRIPS BETTER,ANDFEELSBROKENINRIGHTOUTOFTHEBOX.GLOBEFOOTGEARCOMESIN ARANGEOFSTRUCTURAL,PROXIMITYANDTECHNICALNFPACOMPLIANTSTYLES.



GlobeFootGearSTRUCTURAL

NFPA 1971 (Structural Fire Fighting) and NFPA 1992 (Liquid Splash) compliant.

There's a reason why Globe FootGear has been taking the market by storm. SUPREME is remarkably flexible with a cushioned and contoured sole and athletic footwear construction that is like no other. We changed out all of the heavy steel components to lighter and stronger advanced composites. And they fit so securely, you can even run in them. Just put your feet in a pair and you'll say "Wow".

Heavy Duty Leather

Flame-resistant and waterproof leather for durable performance. Specially softened tumbled leather in high flex areas to move with you.

CROSSTECH[®] Footwear Fabric

A full-height bootie liner made from a package of Cambrelle[®], 300g insulation, and CROSSTECH[®] moisture barrier provides protection unmatched by an other waterproof, breathable barrier.



3M SCOTCHLITE[™] Reflective Material

Flame-resistant fluorescent and reflective material for added visibility.

> 3M Scotchlite™ Reflective Material

HEELPORT[™] Internal Fit System

Anatomical HEELPORT[™] foam insert holds your heel securely so it won't slip while cushioning your ankle.

> Molded Heel Counter A rugged heel counter is individually molded to fit each size perfectly.

Composite Shank

Lighter than steel, doesn't transmit heat or cold, and springs back to shape better.

LENZI[®] Puncture Protection

High-performance composite penetration-resistant insole is made from multiple layers of HT ceramic material - like ballistic armor for your feet. Far more flexible than a steel plate and doesn't transmit heat or cold. Exceeds NFPA standards for safety.

Vibram[®] Contoured Cup Outsole

Molded outsole wraps onto the leather upper for athletic shoe performance. Flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction and durability even during prolonged exposure to extremes of heat and cold.



Slip Resistant Tread

Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. Self-cleaning lugs and omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.



Extended Size Range

Available in Men's, Women's, Wide Calf, and Longer Sizes in Medium, Wide, and X-Wide widths. See back cover for details.





Pull-Straps

Pull-straps are internally reinforced for added strength and to keep them upright. Straps are securely box and cross stitched to keep them on for good.

- NOMEX[®]/KEVLAR[®]ProtectiveShield

A protective shield of NOMEX® and KEVLAR® fiber protects the CROSSTECH® moisture barrier, provides cut resistance, and adds thermal protection.



Nomex.

3D Molded Shin Guard

Molded and padded shin guard provides extra protection when you are working on a ladder.

Composite Safety Toe Cap

Lighter than steel, doesn't transmit heat or cold, and exceeds NFPA standards for safety.

Toe Bumper

Made from the same rugged compound as the outsole for abrasion resistance when crawling. Cemented and 2-needle stitched to the vamp.

3D Molded Footbed

Removable footbed is contoured to cradle and cushion the bottom of your foot and to provide arch support. Moisture wicking and anti-microbial fabric top layer.

Custom Fit System

A second removable footbed is provided with every pair for a custom fit. Use this thicker footbed for a snugger fit or when wearing with lighter socks.

3DCompositeLastingBoard

Boot uppers are lasted to a molded and contoured lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Works together with the 3D molded footbed to conform to the shape of your foot.

AthleticFootwearConstruction

Contoured outsoles are bonded to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. Without stiff welts and ribbed mid-soles, this attachment process is far more flexible.

GlobeFootGearSTRUCTURAL

NFPA 1971 (Structural Fire Fighting) and NFPA 1992 (Liquid Splash) compliant.

The latest model in the Globe FootGear Structural Series – SHADOW – joins the lineup of athletic footwear for firefighters that have more and more departments making the switch. SHADOW shares the remarkably flexible platform with cushioned and contoured sole that makes Globe FootGear fit better, grip better, and feel broken in right out of the box. And SHADOW has been designed to slide more easily under narrower turnout gear pants.



STRUCTURAL SHADOW[®] 14" Pull-On

Heavy Duty Leather

Flame-resistant and waterproof leather for durable performance. Specially softened tumbled leather in high flex areas to move with you.

CROSSTECH[®] Footwear Fabric

A full-height bootie liner made from a package of Cambrelle[®], 300g insulation, and CROSSTECH[®] moisture barrier provides protection unmatched by an other waterproof, breathable barrier.



HEELPORT[™] InternalFitSystem (14"Pull-Ononly) Anatomical HEELPORT[™] foam insert holds your heel securely so it won't slip while cushioning your ankle.

Molded Heel Counter

A rugged heel counter is individually molded to fit each size perfectly.

Composite Shank

Lighter than steel, doesn't transmit heat or cold, and springs back to shape better.

LENZI[®] Puncture Protection

High-performance composite penetration-resistant insole is made from multiple layers of HT ceramic material - like ballistic armor for your feet. Far more flexible than a steel plate and doesn't transmit heat or cold. Exceeds NFPA standards for safety.

Vibram[®] Contoured Cup Outsole

Molded outsole wraps onto the leather upper for athletic shoe performance. Flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction and durability even during prolonged exposure to extremes of heat and cold.



Slip Resistant Tread

Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. Self-cleaning lugs and omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.

STRUCTURAL 12" Zipper / Speed Lace

QuickZip Closure

Combines the advantages of a lace up for a custom fit and the convenience of a zipper.

NOMEX[®] Webbing Pull-Straps

Flexible webbing straps slide easily under turnout pants and are kind to your legs.

NOMEX[®]/KEVLAR[®]ProtectiveShield

A protective shield of NOMEX® and KEVLAR® fiber protects the CROSSTECH® moisture barrier, provides cut resistance, and adds thermal protection.



Nomex.

- **3D Molded Shin Guard** (14" Pull-On only) Molded and padded shin guard provides extra protection when you are working on a ladder.

Composite Safety Toe Cap

Lighter than steel, doesn't transmit heat or cold, and exceeds NFPA standards for safety.

Toe Bumper

Made from Vibram[®] Pro Tania for abrasion resistance when crawling. Cemented and 2-needle stitched to the vamp

3D Molded Footbed

Removable footbed is contoured to cradle and cushion the bottom of your foot and to provide arch support. Moisture wicking and anti-microbial fabric top layer.

Custom Fit System

A second removable footbed is provided with every pair for a custom fit. Use this thicker footbed for a snugger fit or when wearing with lighter socks.

[•] 3DCompositeLastingBoard

Boot uppers are lasted to a molded and contoured lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Works together with the 3D molded footbed to conform to the shape of your foot.

AthleticFootwearConstruction

Contoured outsoles are bonded to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. Without stiff welts and ribbed mid-soles, this attachment process is far more flexible.

GlobeFootGearPROXIMITY

NFPA 1971 (Proximity Fire Fighting and Structural Fire Fighting) and NFPA 1992 (Liquid Splash) compliant.

The world's first leather proximity boot lets you say goodbye to heavy, stiff, rubber boots forever – Globe PROXIMITY is here. Remarkably flexible with the same cushioned and contoured sole and custom fit system as our original SUPREME structural boots, Globe PROXIMITY meets NFPA 1971 Proximity, 1971 Structural, and 1992 Liquid Splash so it can be the one boot you wear for all your calls.

Heavy Duty Leather

Flame-resistant and waterproof leather for durable performance. Specially softened tumbled leather in high flex areas to move with you.

Enhanced ePTFE Barrier Bootie

A full-height bootie liner made from a package of Cambrelle[®], 300g insulation, and enhanced ePTFE barrier to provide liquid and chemical protection.

3M SCOTCHLITE[™] Reflective Material

Flame-resistant reflective material for added visibility.

3M Scotchlite[™] Reflective Material

HEELPORT[™] Internal Fit System

Anatomical HEELPORT[™] foam insert holds your heel securely so it won't slip while cushioning your ankle.

Molded Heel Counter

A rugged heel counter is individually molded to fit each size perfectly.

Composite Shank

Lighter than steel, doesn't transmit heat or cold, and springs back to shape better.

LENZI[®] Puncture Protection

High-performance composite penetration-resistant insole is made from multiple layers of HT ceramic material - like ballistic armor for your feet. Far more flexible than a steel plate and doesn't transmit heat or cold. Exceeds NFPA standards for safety.

Vibram[®] Contoured Cup Outsole

Molded outsole wraps onto the leather upper for athletic shoe performance. Flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction and durability even during prolonged exposure to extremes of heat and cold.



Slip Resistant Tread

Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. Self-cleaning lugs and omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.



Reinforced Pull-Straps

Pull-straps are internally reinforced for added strength and to keep them upright. Straps are securely box and cross stitched to keep them on for good.

NOMEX*/KEVLAR*ProtectiveShield

Two layers of NOMEX®/KEVLAR® fiber batting protects the CROSSTECH® moisture barrier, provides cut resistance, and adds the extra thermal protection required for proximity firefighting.



Nomex.

3D Molded Shin Guard

Molded and padded shin guard provides extra protection when you are working on a ladder.

Aluminized PBI[™] Fabric″

An added layer between the leather shell and the KEVLAR[®] fiber batting provides additional radiant and conductive heat protection to meet the higher thermal requirements for proximity firefighting.

Composite Safety Toe Cap

Lighter than steel, doesn't transmit heat or cold, and exceeds NFPA standards for safety.

Toe Bumper

Made from the same rugged compound as the outsole for abrasion resistance when crawling. Cemented and 2-needle stitched to the vamp.

3D Molded Footbed

Removable footbed is contoured to cradle and cushion the bottom of your foot and to provide arch support. Moisture wicking and anti-microbial fabric top layer.

Custom Fit System

A second removable footbed is provided with every pair for a custom fit. Use this thicker footbed for a snugger fit or when wearing with lighter socks.

SDCompositeLastingBoard

Boot uppers are lasted to a molded and contoured lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Works together with the 3D molded footbed to conform to the shape of your foot.

AthleticFootwearConstruction

Contoured outsoles are bonded to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. Without stiff welts and ribbed mid-soles, this attachment process is far more flexible.

Globe FootGear TECHNICAL

NFPA 1951 (Technical Rescue), NFPA 1977 (Wildland), NFPA 1992 (Liquid Splash), and NFPA 1999 (Emergency Medical) compliant.

Technology comes to the rescue when you wear Globe Technical FootGear. Built with our unique athletic footwear construction for remarkable flexibility, TECHNICAL is quad-certified to be the perfect complement to your Structural Boots. And the exclusive PORON[®] XRD[™] metatarsal guard provides impact protection that you will hardly even feel as you wear your boots.

CROSSTECH[®] Footwear Fabric

A full-height bootie liner made from a package of Cambrelle[®], 300g insulation, and CROSSTECH[®] moisture barrier provides protection unmatched by an other waterproof, breathable barrier.



Heavy Duty Leather

Flame-resistant and waterproof leather for durable performance. Specially softened tumbled leather in high flex areas to move with you.

Molded Heel Counter A rugged heel counter is individually molded to fit each size perfectly.

LENZI[®] Puncture Protection

High-performance composite penetration-resistant insole is made from multiple layers of HT ceramic material - like ballistic armor for your feet. Far more flexible than a steel plate and doesn't transmit heat or cold. Exceeds NFPA standards for safety.

Composite Shank

Lighter than steel, doesn't transmit heat or cold, and springs back to shape better.

Vibram[®] Contoured Cup Outsole

Molded outsole wraps onto the leather upper for athletic shoe performance. Flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction and durability even during prolonged exposure to extremes of heat and cold.



Slip Resistant Tread

Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. Self-cleaning lugs and omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.





QuickZip Closure

Combines the advantages of a lace up for a custom fit and the convenience of a zipper.

Metatarsal Guard

Additional protection for the metatarsus (the bones extending back from your toes over the instep) is provided by a flexible,



lightweight, molded PORON[®] XRD[™] impact resistant foam for impact protection that you will hardly even feel as you wear your boot.

Composite Safety Toe Cap

Lighter than steel, doesn't transmit heat or cold, and exceeds NFPA standards for safety.

Toe Bumper

Made from the same rugged compound as the outsole for abrasion resistance when crawling. Cemented and 2-needle stitched to the vamp.

3D Molded Footbed

Removable footbed is contoured to cradle and cushion the bottom of your foot and to provide arch support. Moisture wicking and anti-microbial fabric top layer.

Custom Fit System

A second removable footbed is provided with every pair for a custom fit. Use this thicker footbed for a snugger fit or when wearing with lighter socks.

[•] 3DCompositeLastingBoard

Boot uppers are lasted to a molded and contoured lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Works together with the 3D molded footbed to conform to the shape of your foot.

AthleticFootwearConstruction

Contoured outsoles are bonded to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. Without stiff welts and ribbed mid-soles, this attachment process is far more flexible.